



Desktop Manager

- Compact A4 printer for better productivity.
- Network capability as standard.
- Fast and efficient B&W printing with consistent image quality.
- Flexible paper formats – including banner printing.

e-STUDIO332P
e-STUDIO382P





e-STUDIO332P
e-STUDIO382P



General	Print Speed Warm-up Time Paper Size & Weight Paper Capacity Automatic Duplex Memory Interface Dimensions & Weight	33/38 ppm Approx. 20 seconds from power save mode Cassettes: A6-A4, 60-120 g/m ² Bypass: A6-A4, 60-163 g/m ² , banner paper (210 x 1,320 mm, 60-163 g/m ²) 1 x 250 sheets (cassette), e-STUDIO332P: 1 sheet (bypass) e-STUDIO382P: 100 sheets (bypass) Maximum: 781/880 sheets A5-A4, 60-120 g/m ² 64 MB, max. 320 MB USB 2.0 High Speed, 10/100BaseTX, Parallel 387 x 364 x 245 mm (W x D x H), ~ 12 kg
Print	Resolution First Print Output Time Page Description Languages Supported Systems Print Functions	1,200 x 600 dpi/1,200 x 1,200 dpi Approx. 5/4.5 seconds PCL6 and PCL5e, PostScript 3 compatible ¹⁾ Windows 7/Vista/XP/Server 2008/Server 2003 (32/64 bit), Server 2008 R2 (64 bit), Windows 2000 (32 bit), Mac OS X 10.3.9 to 10.6 Barcode Printing, Duplex Printing, Envelope Printing, etc.
System	Device Management System Features	e-BRIDGE Fleet Management System ¹⁾ e-STUDIO332P: 1 key (On/Off line), LCD (16 characters x2), 2 LEDs, Energy Saving Mode e-STUDIO382P: 6 keys, LCD (16 characters x2), 2 LEDs, Energy Saving Mode

Productivity and paper specifications are related to a paper size of A4 and a paper weight of 80 g/m² if not otherwise mentioned.

OPTIONS

CASSETTE – MY-1036

530-sheet capacity, B5-A4, 64-120 g/m²

MEMORY EXPANSION – GC-1350

64 MB Memory expansion

MEMORY EXPANSION – GC-1360

256 MB Memory expansion

¹⁾ optional

²⁾ e-STUDIO382P only

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright © 2011 TOSHIBA TEC. DS382PGBDD1102